
MST
max SPEED TECHNOLOGY

XXX-D RTR

1/10 SCALE RC HIGH PERFORMANCE DRIFT CAR



EXPLODED MANUAL

ON ROAD USE ONLY
FULL BALL BEARINGS

WHEELBASE :	STANDARD 257mm (adjustable)
WIDTH :	STANDARD 190mm (adjustable)
GEAR RATIO :	1.89 (34T/18T)
CASTER :	8 degrees variableness
CAMBER :	0 to -12 degrees

www.rc-mst.com

※SPECIFICATION ARE SUBJECT TO CHANGE WITHOUT NOTICE

XXX-D RTR

1/10 SCALE RC HIGH PERFORMANCE DRIFT CAR

Appreciate for your choice of **XXX-D RTR**! You will be impressed with its performance and beauty.
Please prepare additional parts as car battery, transmitter battery, and charger.
Please follow the process for assemble and setting of parts package.
If you have doubt or need assistance, please contact the purchased shop or hobby shop for help, many thanks!
首先感謝你購入 **XXX-D RTR** 這項產品，您將擁有一部兼具性能與美型的甩尾車。
在首次操作前，有以下幾項須要另行購置的物件；車用電池、遙控器用電池、充電器。
備妥上述物件後，請進行零件包安裝與設定。
如需其他協助，請向原購買店家，或遙控模型店詢問！謝謝！

PLEASE FOLLOW BELOW OPERATIONS BEFORE ASSEMBLING THE PARTS PACKAGE.


請於安裝零件包之前,執行以下操作




1. Install transmitter batteries.
2. Loosen receiver antenna.
3. Connector ESC and battery.
4. Switch on the transmitter.
5. Trims the transmitter in neutral.
6. Switch on the ESC.
7. Completed.


1. 安裝遙控器電池
2. 鬆開接收機天線
3. 聯結車用電池與電子變速器
4. 打開遙控器電源
5. 調整遙控器各微調器至中立點
6. 打開電子變速器電源
7. 完成

※ Please play this product in opening or safety area.
請於空曠或安全無虞的場所，使用本項產品。




※ Please refer to instruction of transmitter & receiver performance.
遙控器&接收機功能說明請參閱詳細說明書。






※ Please refer to instruction of ESC performance.
電子變速器功能說明請參閱詳細說明書。




FACTORY ELECTRONIC SETTING
原廠電裝配線圖


STEP 1 Attaching Front Tire
安裝前車輪




STEP 2 Attaching Rear Tire
安裝後車輪



STEP 3 Pasting Sponges
貼上吸震泡棉




STEP 4 Attaching Battery
電池安裝



※ The assembly and conservation method may be different by specification of battery.
電池的安裝方式會因為廠牌規格而有些微差異，電池的使用方式與保存方式，也會因電池的種類而有所不同。

※ Recommened battery measurement L140×W48×H25.4mm (not exceed)
建議安裝長140×寬48×高25.4mm尺寸以內的電池。



※ Please play in safe place after all setting finish.
Before playing, please switch on transmitter then on the car.
Please switch off reversely.
安裝設定完成後，請於安全場所使用本產品!
使用前請先開啟遙控器電源後再開啟車體電源!
使用後請反向操作關閉!

XXX-D RTR


1/10 SCALE RC HIGH PERFORMANCE DRIFT CAR


EXPLODED VIEW

Please add color remark for ( ) part number.
e.g. 210123R for Red (210123)
請增加顏色標示在 ( ) 編號
例 210123R for 紅色 (210123)

Color 顏色	Red 紅
Remark 標示	R

MST max SPEED TECHNOLOGY




210095
120001
820024
110039S
210040
310032
210040
310033
210030
210025
110020
120017
310033
210040
120008
110053
820024
120001
210095
210002
110019
210030
210002
110019
210029
110061
110026
210097
210144-2
820079
820079
210099
210086
210083
110042
110005
110075
210095
601003
110002
110047
110001
310055
110048
110026
210033
110047
110001
210084
110005
110042
210095
110008
210095
110002
210002
110016
210002
130005
210002
110005
230001
110002
110001
110054
310055
110041
110076
210058
110003
210063W
110012
210031
210003
210058
600002
Brushed 601002
Brushless 601008
210063W
310048
110029
110061
210054
210063W
210063W
210003
310055
210031
210063W
110012
310051
310006
310054
120001
210060
110017
120011
110003
110017
110004
210145
210043
210063W
310048
210063W
310054
310047
210055
310051
310006
310054
210055
110004
210145
110017
120001
120011
110067
110017
210043
110015
110015

PARTS



M3×6 screw×10
圓頭螺絲
110001



M3×8 screw×19
圓頭螺絲
110002



M2.5×6 screw×6
圓頭螺絲
110003



M2×4 screw×8
圓頭螺絲
110004



M3×8 screw×27
沉頭螺絲
110005



M3×11 screw×4
扁頭螺絲
110012



M3×10 screw×14
圓頭螺絲
110026



M3×12 screw×4
圓頭螺絲
110029



M2.5×30 screw×2
有頭螺絲(半牙)
110053



M1.6×4 screw×4
有頭螺絲
110039



M3×5 screw×4
沉頭螺絲
110041



M2×6 screw×4
沉頭螺絲
110042



M2×6 screw×2
圓頭螺絲
110044



M2×8 screw×2
圓頭螺絲(半牙)
110045



M3×5 screw×3
扁頭螺絲
110051



M3×14 screw×4
圓頭螺絲
110061



M3×25 screw×2
圓頭螺絲
110076



3×7 screw×1
自攻六角沉頭螺絲 3×7
110075



M2.5×2.5 screw×2
止付螺絲
110067




M3×3 screw×3
止付螺絲
110035



M3×8 screw ×6
止付螺絲
110054



M3×25 screw×5
止付螺絲
110008



Rail post×2
軸承支柱
310029



4.8×4.5 copper ball connector×11
銅製球頭螺絲
310054



2×9.8 pin×2
插銷
110046




2×9.8 pin×8
插銷
110017



2×11.8 pin×4
插銷
110019



2×22 shaft×2
插銷
310047



2.5×20 arm shaft×2
擺臂插銷
310046



2.5×46 arm shaft×4
擺臂插銷
310048



3×5×0.2 spacer×2
墊片
820013



3×6×0.5 spacer×6
墊片
110047



5×7×0.3 spacer×1
墊片
820020



3×8×0.5 spacer×1
墊片
110048



10×12×0.3 spacer×6
墊片
820024



2.5×6 spacer×2
鋼板
120008



5.8 ball connector×4
球頭
210003



4.8 Copper hex ball×7
銅製外六角球頭
310055



Diff. spring×1
差速彈簧
310032



M4 Wheel nut×4
輪框螺帽
110015

R-clip×4
R形扣
110016

Diff. plate×2
差速壓板
310033

Steel CVA universal shaft 44×4
鋼製CVA傳動軸 44
310051

Steel ball 1.5×8
鋼珠 1.5
120008

Steel ball 3.0×10
鋼珠 3.0
110020

Bevel gear-short shaft×1
伞齒短軸
310031

Wheel axle×4
萬向接杆
310006

Coil spring 28mm (gold)×4
避震彈簧 28mm (金)
210144-2

Piston rod ×4
避震軸心
310008

Cylinder cap ×4
避震器上蓋
210057

Rod guide cap ×4
避震器下蓋
210057

Damper retainer ×4
避震器彈簧座
820079

Oil seal ×4
避震器氣室
130004

Rod guide(BK) ×4
避震器下蓋墊片(黑)
210082

Damper cylinder ×4
避震筒身
210071

Piston (BK) ×4
避震活塞 (黑)
210082

Damper adjuster ×4
避震器拉桿
820079


10.8×0.9 O-ring ×4
O環
130032

Damper O-ring P3 ×4
避震器O環
130025


E-clip ×8
E形扣
110013

Spring retainer×4
避震器調整環
310053


PARTS




XXX Upper deck & battery strap
XXX 二樓板&電池壓板組
210100




XXX lower beck
XXX 底盤
210099




Joint set×2
接杆組
210040



XXX Adjuster & servo mount set ×2
XXX 拉桿頭&伺服機座
210095




XXX Eccentric motor mount set
XXX 偏心式馬達座組
210098



XXX Front damper stay
XXX 前避震架
230001

XXX Rear damper stay
XXX 後避震架
230002




XXX Gear dust cover & brace
XXX 齒箱防塵殼&補強架
210097




CS-R tire ×4
CS-R 甩尾胎
101024


PARTS



Bumper
防撞泡棉
130020




HT Upper arm
HT 上擺臂
210058




Body post extension mount 4mm
車殼柱延伸座 4mm
210029




5.8×26 Reinforced adjuster set
強化拉桿預組
210031




RM Bevel gear dust cover ×2
後置傘齒防塵殼
210030




HT rear lower arm & wheel hub ×2
HT 後下擺臂 & 輪座
210055




HT Lower arm
HT 下擺臂
210054




XXX Alum. center one way RM
XXX 鋁合金中單組 RM
(210487)



Lower arm mount -0.5×1
下擺臂座 -0.5
210083



Lower arm mount +0.5×2
下擺臂座 +0.5
210084



Lower arm mount +2.5×1
下擺臂座 +2.5
210086



6.2×2 Sponge×2
泡綿
130021



5×8 Bearing×2
軸承
120017



5×10 Ball bearing ×3
培林
120002




5×11 Ball bearing ×4
培林
120011




8×14 Ball bearing ×2
培林
120007



10×15 Ball bearing ×8
培林
120001




KPI Upright set
KPI 輪座組
210060



Bevel gear box set ×2
傘齒座組
210041


PARTS




C PARTS - bumper set
C PARTS - 防撞板組
210002




XXX Alum. propeller shaft ×1
鋁合金中傳軸
(210219)




Brake calipers (red)
煞車卡鉗 (紅)
210145CR




Gear box cover set
齒箱上蓋組
210039




Shaft bush & spacer set (white)
襯套墊片組 (白)
210063W




HT Gear box cover set
HT 齒箱上蓋組
210064




Rail pulley spacer set(BK)
滑軌滑輪墊片組(黑)
210037BK




Servo horn set (long)(23T/25T)
伺服機舵片組(長)(23T/25T)
210033



Bevel gear set (34-18)
傘齒組(34-18)
210069




Spool parts set
直軸配件組
210056




Gear holder steering rail set
齒座搖臂滑軌組
210042



Spur gear 48P-74T
大圓齒 48P-74T
210096



Bevel gear set (40-16)
傘齒組 (40-16)
210025



Wheel hubs w/disc shape
碟型六角輪座組
210043

XXX-D RTR SETUP SHEET

1/10 SCALE RC HIGH PERFORMANCE DRIFT CAR


ATE : _____ SURFACE : _____ NOTE : _____


TRACK : _____ GRIP : _____

☐ ☐ ☐

Caster


☐ 16°
☐ 12°
■ 8°





CASTER	UPPER ARM			
16°	A	E	E	C
12°	A	E		C
8°	A			C

Front wheel hubs




Steering rail

■ Universal rail
☐ Alum. rail



Rear wheel hubs



FRONT / REAR


Tire:_____ Tire:_____

Wheel:_____ Wheel:_____


Offset:_____ Offset:_____




Front diff.




☐ Alum. one way



☐ Gear diff.
Diff. oil_____




■ Ball diff.




☐ Alum. spool

Front damper stay




Camber: 5 °
Toe-in: +3 °




Ride height: 6 mm GROUND


Front rollcenter



Front lower arm




Front damper





Shock oil: #300 Spring color: gold
Length: 62 mm Piston: 01.2 mm
Spring: 28 mm 01.2 Piston hole: 3

Front upright



Rear upright







CS ratio: front (□2.12 □2.5 □3.08 □3.82) / rear (□1.89 □2.12 □2.5) = _____

Gear ratio: (Spur: ____T / Pinion: ____T) × □1.89 □2.12 □2.50 = _____


Motor & ESC: _____ Battery: _____

Rear damper stay







Rear rollcenter



Rear lower arm



Rear damper



Shock oil: #300 Spring color: gold
Length: 62 mm Piston: 01.2 mm
Spring: 28 mm 01.2 Piston hole: 3

Rear diff.



☐ Gear diff.
Diff. oil_____



☐ Ball diff.
■ Spool



☐ Alum. spool



■ Alum. center one way

GEAR RATIO (For 48P Spur Gear)

FINAL DRIVE 32T/18T <1.78>				
	68T	70T	72T	74T
17T				7.74
18T				7.31
19T			6.74	6.92
20T			6.40	6.58
21T		5.93	6.10	6.26
22T		5.66	5.82	5.98
23T	5.26	5.41	5.57	5.72
24T	5.04	5.19	5.33	5.48
25T	4.84	4.98	5.12	5.26
26T	4.65	4.79	4.92	5.06


FINAL DRIVE 34T/18T <1.89>				
	68T	70T	72T	74T
17T				8.22
18T				7.77
19T			7.16	7.36
20T			6.80	6.99
21T		6.30	6.48	6.66
22T		6.01	6.18	6.35
23T	5.58	5.75	5.91	6.08
24T	5.35	5.51	5.67	5.82
25T	5.14	5.29	5.44	5.59
26T	4.94	5.09	5.23	5.38

FINAL DRIVE 36T/17T <2.12>				
	68T	70T	72T	74T
17T				9.22
18T				8.71
19T			8.02	8.25
20T			7.62	7.84
21T		7.06	7.26	7.46
22T		6.74	6.93	7.12
23T	6.26	6.45	6.63	6.81
24T	6.00	6.18	6.35	6.53
25T	5.76	5.93	6.10	6.27
26T	5.54	5.70	5.86	6.03

FINAL DRIVE 40T/16T <2.50>				
	68T	70T	72T	74T
17T				10.88
18T				10.28
19T			9.47	9.74
20T			9.00	9.25
21T		8.33	8.57	8.81
22T		7.95	8.18	8.41
23T	7.39	7.61	7.83	8.04
24T	7.08	7.29	7.50	7.71
25T	6.80	7.00	7.20	7.40
26T	6.54	6.73	6.92	7.12

＊FORMULA
計算公式

$$\left(\frac{\text{Spur gear teeth (大直齒)}}{\text{Pinion gear teeth (馬達齒)}} \times \frac{\text{Diff. ring gear (大傘齒)}}{\text{Diff. pinion gear (小傘齒)}}\right) = \text{Gear ratio (終傳比)}$$



CS RATIO

REAR GEAR BOX 後齒箱		FRONT GEAR BOX 前齒箱			
2nd REDUCTION RATE 二次減速比		2.12 36T/17T	2.50 40T/16T	3.08 40T/13T	3.82 42T/11T
	PARTS CODE	210034	210025	210035	210036
32T/18T <1.78>	210362	1:1.19	1:1.40	1:1.73	1:2.15
34T/18T <1.89>	210069	1:1.12	1:1.32	1:1.63	1:2.02
36T/17T <2.12>	210034	1:1	1:1.18	1:1.45	1:1.80
40T/16T <2.50>	210025		1:1	1:1.23	1:1.53

PARTS CODE

110001	Round head screw M3X6 (10)
110002	Round head screw M3X8 (10)
110003	Round head screw M2.5X6 (6)
110004	Round head screw M2X4 (6)
110005	Countersunk screw M3X8 (10)
110008	Set screw M3X25 (6)
110012	Flat head screw M3X11 (10)
110013	E-clip 2.0 (10)
110015	Flange nut M4 (4)
110016	R-clip 6.0 (10)
110017	Shaft 2X9.8 (10)
110019	Shaft 2X11.8 (5)
110020	Steel ball 3.0 (13)
110026	Round head screw M3X10 (10)
110029	Round head screw M3X12 (6)
110035	Set screw M3X3 (6)
110039S	Cap screw M1.6X4 (10)
110041	Countersunk screw M3X5 (10)
110042	Countersunk screw M2X6 (6)
110044	Round head screw M2X6 (6)
110045	Round head screw M2X8 (partial thread) (6)
110046	Shaft 2X9.8 (8)
110047	Spacer 3X6X0.5 (8)
110048	Spacer 3X8X0.5 (8)
110051	Flat head screw M3X5 (5)
110053	Cap screw M2.5X30 (2)
110054	Set screw M3X8 (10)
110061	Round head screw M3X14 (6)
110067	Set screw M2.5X2.5 (6)
110075	Tapping flat head screw 3X7 (10)
110076	Round head screw M3X25 (6)
120001	Ball bearing 10X15 (4)
120002	Ball bearing 5X10 (4)
120007	Ball bearing 8X14 (2)
120008	Thrust bearing 2.5X6
120011	Ball bearing 5X11 (4)
120017	Bearing 5X8 (4)
130004	Oil seal (4)
130007	Antenna pipe(2)
130017	Inner sponge (8)
130020	Bumper (B)
130021	Sponge 6.5X2 (10)
130025	O-ring P4 (red) (8)
130032	Damper cap O-ring (10)
130034	Sponge 20X80X1 (4)
130035	L Wrench set (1.5&2.0&2.5)
130036	Tools
148021	MST 48P Pinion gear 21T
210002	C PARTS-bumper set
210003	D PARTS-ball connector
210025	Bevel gear set 40-16
210029	Body post extension mount 4mm
210030	RM Bevel gear dust cover
210031	Reinforced adjuster set 5.8X26
210033	Servo horn set (long) (23T/25T)
210037	Rail pulley spacer set
210039	Gear box cover set
210040	Joint set
210041	Bevel gear box set
210042	Gear holder steering rail set
210043	Wheel hubs w/disc shape
210054	HT Lower arm
210055	HT Rear lower arm & wheel hub
210056	Spool parts set
210057	Damper cap set
210058	HT Upper arm
210060	KPI Upright set
210064	HT Gear box cover set
210069	Lightweight bevel gear set 34-18
210071	Damper cylinder (2)
210082	Piston spacer set
210083	Lower arm mount -0.5
210084	Lower arm mount +0.5
210086	Lower arm mount +2.5
210095	XXX Adjuster & servo mount set
210096	Spur gear 48P-74T
210097	XXX Gear dust cover & brace
210098	XXX Eccentric motor mount set
210099	XXX Lower deck
210100	XXX Upper deck & battery strap
210145	Brake calipers (4)
210487R	XXX Alum. center one way RM (red)
230001	XXX Front damper stay
230002	XXX Rear damper stay
230011SG	Silver grey 5H wheel (+1) (4)
230012SG	Silver grey TE wheel (+1) (4)
310006	Wheel axle (2)
310008	Piston rod (4)
310029	Rail post (2)
310031	Bevel gear - short arbor
310032	Diff. screw & spring set
310033	Diff. plate (2)
310046	Arm shaft 2.5X20 (2)
310047	Arm shaft 2.0X22 (2)
310048	Arm shaft 2.5X46 (4)
310051	CVA Swing shaft 44 (2)
310053R	Spring retainer (red) (2)
310054	Copper ball connector 4.8X4.5 (4)
310055	Copper hex ball 4.8 (4)
820013	Spacer 3X5X0.2 (8)
820020	Spacer 5X7X0.3 (8)
820024	Spacer 10X12X0.3 (8)
820079	Damper plastic maintenance set (2)
210063W	Shaft bush & spacer set (white)
210144-2	Coil spring set 28mm (medium) (gold) (2)
210219R	XXX Alum. propeller shaft (red)

OPTION PARTS CODE

210102R	Alum. one way unit (red)
210115R	Alum. damper set (red) (4)
210142R	Alum. bumper support (red)
210143	Alum. wheel hubs 6mm (brake disc shaped)
210144	Coil spring set 28mm
210145R	Brake calipers (red) (4)
210213	XXX Carbon front damper stay 3.5
210215	XXX Carbon upper deck 2.5
210221R	XXX Alum. one way unit (RM) (red)
210223R	XXX Alum. spool unit (red)
210227R	XXX Alum. upper deck support (red)
210228R	XXX Alum. connecter (red)
210230R	XXX Alum. spur gear holder (red)
210232	XXX Alum. steering rail set
210234R	XXX Alum. gear box cover (red)
210238	Alum. propeller shaft joint (2)
210257R	XXX-D PRO Alum. gear box (red)
210261	XXX Carbon rear damper stay (widen)
210381	Car body post set
210282	MST Diffuser
210288	XXX Reinforced bevel diff. assembly
210323R	XXX Alum. gear box cover set (HT-F) (red)
210353	FXX Alum. ball diff.
210354R	HT Alum. rear upright (red) (2)
210357	XXX-HT Rear stabilizer set
210379	Rear bumper
210399R	XXX Alum. lightweight propeller shaft set (red)
210410R	XXX Alum. slide rack steering set (red)
210416R	FXX/XXX-D S Alum. lower arm mount set (red)
210456	XXX-D S Ball connector set
210457R	XXX-D S Turnbuckle shaft set (red)
820005	Steel CVD great angle universal shaft 44 (2)
820029R	KPI Alum. upright (red) (2)
820043R	Alum. hex. wheel hubs 5mm (red) (4)
820044R	Alum. hex. wheel hubs 4mm (red) (4)
820046R	Alum. damper retainer (lower type) (4) (red)
820057R	Adjustable alum. suspension mount (-0.5-+1.0) (red)
820060R	HT Alum. front lower arm set (red)
820064R	HT Alum. rear lower arm set (red)
820076R	Alum. short servo mount set (red)
820089	Alum. adjustable shock upper end (4)

部品編號

110001	六角半圓頭螺絲 M3X6 (10)
110002	六角半圓頭螺絲 M3X8 (10)
110003	六角半圓頭螺絲 M2.5X6 (6)
110004	六角半圓頭螺絲 M2X4 (6)
110005	六角沉頭螺絲 M3X8 (10)
110008	六角止付螺絲 M3X25 (6)
110012	十字扁頭螺絲 M3X11 (10)
110013	E扣 2.0 (10)
110015	凸緣螺帽 M4 (4)
110016	R銷 6.0 (10)
110017	插銷 2X9.8 (10)
110019	插銷 2X11.8 (5)
110020	差速鋼珠 3.0 (13)
110026	六角半圓頭螺絲 M3X10 (10)
110029	六角半圓頭螺絲 M3X12 (6)
110035	六角止付螺絲 M3X3 (6)
110039S	六角有頭螺絲 M1.6X4 (10)
110041	六角沉頭螺絲 M3X5 (10)
110042	六角沉頭螺絲 M2X6 (6)
110044	六角半圓頭螺絲 M2X6 (6)
110045	六角半圓頭螺絲 M2X8 (半牙) (6)
110046	插銷 2X9.8 (削頭) (8)
110047	墊片 3X6X0.5 (8)
110048	墊片 3X8X0.5 (8)
110051	十字扁頭螺絲 M3X5 (5)
110053	六角有頭螺絲 M2.5X30 (半牙) (2)
110054	六角止付螺絲 M3X8 (10)
110061	六角半圓頭螺絲 M3X14 (6)
110067	六角止付螺絲 M2.5X2.5 (6)
110075	自攻六角沉頭螺絲 3X7 (10)
110076	六角半圓頭螺絲 M3X25 (6)
120001	培林 10X15 (4)
120002	培林 5X10 (4)
120007	培林 8X14 (2)
120008	止推培林 2.5X6
120011	培林 5X11 (4)
120017	軸承 5X8 (4)
130004	避震氣室 (4)
130007	天線管 (2)
130017	吸震泡綿 (8)
130020	防撞泡綿 (B)
130021	泡綿 6.5X2 (10)
130025	O環 P4 (紅) (8)
130032	避震上蓋O環 (10)
130034	吸震泡綿 20X80X1 (4)
130035	L 板手組 (1.5&2.0&2.5)
130036	工具包
148021	MST 48P 馬達齒 21T
210002	C PARTS-防撞板組
210003	D PARTS
210025	傘齒組 40-16
210029	車殼柱延伸座 4mm
210030	RM 傘齒防塵殼
210031	強化拉桿環組 5.8X26
210033	伺服機舵片組-長 (23T/25T)
210037	滑軌滑輪墊片組
210039	齒箱上蓋組
210040	撥杆組
210041	傘齒座組
210042	齒座搖臂滑軌組
210043	樑型六角輪座組
210054	HT 下擺臂
210055	HT 後下擺臂&輪座
210056	塑膠直軸配件組
210057	避震器上下蓋組
210058	HT 上擺臂
210060	KPI 輪座組
210064	HT 齒箱上蓋組
210069	輕量化傘齒組 34-18
210071	避震器筒身 (2)
210082	避震器活塞墊片組
210083	下擺臂座 -0.5
210084	下擺臂座 +0.5
210086	下擺臂座 +2.5
210095	XXX 拉桿 & 伺服機座
210096	大齒盤 48P-74T
210097	XXX 齒箱防塵殼&補強架
210098	XXX 偏心式馬達座組
210099	XXX 底盤
210100	XXX 二樓板 & 電池壓板組
210145	煞車卡鉗 (4)
210487R	XXX 鋁合金中單組RM (紅)
230001	XXX 前避震架
230002	XXX 後避震架
230011SG	銀灰5H輪框 (+1) (4)
230012SG	銀灰TE輪框 (+1) (4)
310006	萬向搖杆 (2)
310008	避震軸心 (4)
310029	滑軌支柱 (2)
310031	傘齒短軸
310032	逐差彈簧螺絲組
310033	逐差壓板 (2)
310046	擺臂插銷 2.5X20 (2)
310047	擺臂插銷 2.0X22 (2)
310048	擺臂插銷 2.5X46 (4)
310051	CVA傳動軸 44 (2)
310053R	避震器調整環 (紅) (2)
310054	鋼製內六角公球頭 4.8X4.5 (4)
310055	鋼製外六角球頭 4.8 (4)
820013	墊片 3X5X0.2 (8)
820020	墊片 5X7X0.3 (8)
820024	墊片 10X12X0.3 (8)
820079	避震膠件包 (2)
210063W	襯套墊片組 (白)
210144-2	避震彈簧 28mm (中) (金) (2)
210219R	XXX 鋁合金中傳軸 (紅)

改裝品編號

210102R	鋁合金前單向組 (紅)
210115R	鋁合金避震器組 (紅) (4)
210142R	鋁合金防撞板上蓋 (紅)
210143	鋁合金六角輪座 6mm (煞車樑型)
210144	避震彈簧組 28mm
210145R	煞車卡鉗 (電鍍紅) (4)
210213	XXX 碳纖維前避震架 3.5
210215	XXX 碳纖維二樓板 2.5
210221R	XXX 鋁合金前單組 (後置) (紅)
210223R	XXX 鋁合金直軸組 (紅)
210227R	XXX 鋁合金二樓板連結座 (紅)
210228R	XXX 鋁合金連結架 (紅)
210230R	XXX 鋁合金大齒盤座 (紅)
210232	XXX 鋁合金大轉向滑軌組
210234R	XXX 鋁合金齒箱上蓋 (紅)
210238	鋁合金中軸搖杆 (2)
210257R	XXX-D PRO 鋁合金傘齒箱 (紅)
210261	XXX 碳纖維後避震架 (加寬)
210381	車殼支柱組
210282	MST 後擾流板
210288	XXX 強化式傘齒總成組
210323R	XXX 鋁合金齒箱上蓋組 (HT-F) (紅)
210353	FXX 鋁合金滾珠差速器
210354R	HT 鋁合金後輪座 (紅) (2)
210357	XXX-HT 後防傾桿組
210379	後防撞板
210399R	XXX 鋁合金輕量化中傳軸組 (紅)
210410R	XXX 鋁合金轉向滑軌組 (紅)
210416R	FXX/XXX-D S 全車鋁合金下擺臂座 (紅)
210456	XXX-D S 高順機球頭組
210457R	XXX-D S 全車可調拉桿組 (紅)
820005	鋼製大角度CVD傳動軸 44 (2)
820029R	KPI鋁合金輪座 (紅) (2)
820043R	鋁合金六角輪座 5mm (紅) (4)
820044R	鋁合金六角輪座 4mm (紅) (4)
820046R	鋁合金彈簧座 (降低型) (4) (紅)
820057R	可調式鋁合金擺臂座 (-0.5-+1.0) (紅)
820060R	HT 鋁合金前下擺臂組 (紅)
820064R	HT 鋁合金後下擺臂組 (紅)
820076R	鋁合金短伺服機座組 (紅)
820089	鋁合金避震器可調上座 (4)

026100

Please add color remark for ( ) part number.
e.g. 210123R for Red (210123)
請增加顏色標示在 ( ) 編號
例 210123R for 紅色 (210123)

Color 顏色	Red 紅
Remark 標示	R

MST max speed technology