
MST
max speed technology
[rc-mst.com]
[facebook.com/MST.tw]
FSX-D
1 / 10 SCALE RC 4/2WD DRIFT CAR
Ultra-front lateral motor configuration
Freely changeable motor directions
Specific motor mount
Centralized heavy of gravity
Alum. Damper set
FSX-D STANDARD HT
SUSPENSION SYSTEM
4/2WD
NEW INNOVATIVE
DRIFT CAR SERIES
DRIFT 4/2WD HT
The picture is for reference only, please make the object as the standard.
圖片可能因印刷而有色差，請依實體商品為準。

MST

max speed technology

FSX-D VIP

1 / 10 SCALE RC 4/2WD DRIFT CAR

Front aluminum one way / Rear aluminum spool

Professional aluminum damper set

Top quality carbon decks

HT suspension system

Aluminum center transmission shaft

FSX-D VIP STANDARD HT SUSPENSION SYSTEM

[facebook.com/MST.tw]

[rc-mst.com]



4/2WD

NEW INNOVATIVE DRIFT CAR SERIES

DRIFT 4/2WD HT VIP

The picture is for reference only, please make the object as the standard.

圖片可能因印刷而有色差，請依實體商品為準。


FSX-D

FEATURES INTRODUCTION
特點說明

The specific drive configuration will let customer having special fun in drifting operations. The abundant hop-ups will fulfill your inquiry to better performance!
別具一格的驅動配置下，享受獨特的甩尾操控樂趣。豐富的升級配件，賦予您追求更高性能的執著！


ULTRA-FRONT DRIVE SYSTEM
超前置驅動系統

The modular ultra-front motor drive system with the aluminum transmission shaft driving force lets vehicle having stable drifting dynamics and smooth acceleration performance.
採用模組化超前置馬達驅動系統，搭配鋁合金傳動軸直驅動力，展現出超前置穩定的甩尾動態與軸傳動暢快的加速特性。




FREELY CHANGEABLE MOTOR DIRECTIONS
自由變換馬達左右方向

The unique design of general product, it can be easily changed for motor directions and adjusted for motor anti-torque positions quickly to fit the environments.
業界為一設計能輕易改變馬達左右放置方向，自由調整馬達反作用力位置。 可依場地設定快速調整。



MOTOR FORWARD INSTALLATION
馬達正裝

To accelerate the load changing speed for more sensitive reactions of vehicle to small or winding track setting.
加快荷重轉移速度，產生更佳靈敏的車身反應速度，適合小場或多彎的配置。




MOTOR BACKWARD INSTALLATION
馬達反裝

To decelerate the load changing speed for stable reactions and dynamics of vehicle to big place or fast driving setting.
緩和荷重轉移速度，安定的車頭反應、穩定的車身動態，適合大場速度快的配置。

HT SUSPENSION SYSTEM
HT 懸吊系統

Extremely stable and tractive HT suspension system.
穩定性極佳與高抓地力的HT懸吊系統。




FRONT – KPI constructions without caster block ball connector.
前 – KPI無C座球頭結構。



REAR – Maximum suspension pivot of same vehicles can decrease the rolling amount and increase the mechanical traction.
後 – 擁有同車種最大規格的後懸吊支點，可減少滾動量以增加機械抓地力。


CENTRALIZED HEAVY OF GRAVITY
重心左右集中

The centralized heavy of gravity design can balance the two-sided weights for more stable vehicle dynamics and increase the cornering drift capacity.
重心集中化的設計，平衡了左右重量讓車身作動更穩定，加大甩尾過彎極限。



SPECIFIC MOTOR MOUNT
特殊馬達座

The special heat-sink aluminum motor mount can fast sink the motor heat.
鋁合金馬達座，採用散熱式設計，加速馬達散熱降低工作溫度。




SPECIAL TREATED DAMPER SHAFT
特殊處理避震軸心

The damper shaft is treated by special chemical nickel process. It has the features of high smooth, high wear resistance and high corrosion resistance.
採用特殊化學鎳處理的避震器軸心，具有高度順暢、耐磨耗及耐腐蝕等特點。



LARGE FRONT STEERING ANGLE
大角度前輪轉向

The two sets adjustable steering position arms can adjust the Ackermann angle easily. The large steering angle can stable the rear vehicle in fast cornering.
轉向搖臂位置2組前後可調設計，輕鬆調整阿克曼角。大角度轉向切角讓車身高速入彎時更能抓住車尾穩定動態。



CARBON DAMPER STAY
碳纖維避震架

Standard front & rear high rigid and lightweight carbon damper stay makes the damper actions directly and clearly.
配備前/後高剛性、輕量化碳纖維避震架，讓避震器作動更加清晰直接。

FRONT



REAR



CS RATIO

REAR GEAR BOX 後齒箱		FRONT GEAR BOX 前齒箱			
2nd REDUCTION RATE 二次減速比		2.12 36T/17T	2.50 40T/16T	3.08 40T/13T	3.82 42T/11T
	PARTS CODE	210034	210025	210035	210036
32T/18T <1.78>	210362	1:1.19	1:1.40	1:1.73	1:2.15
34T/18T <1.89>	210069	1:1.12	1:1.32	1:1.63	1:2.02
36T/17T <2.12>	210034	1:1	1:1.18	1:1.45	1:1.80
40T/16T <2.50>	210025		1:1	1:1.23	1:1.53

FSX-D VIP

ALUM. ULTRA - FRONT SHAFT DRIVING SYSTEM

鋁合金超前置軸傳驅動系統



Professional aluminum damper set.
配備高規格鋁合金避震器。



Top quality carbon decks
高規格碳纖維板材，品質一流。





Outstanding chassis natures with aluminum receiver mount and strengthen vehicle structure.
鋁合金接收機座擁有強化車體剛性功能展現卓越的車架體質。



Module-designed high accurate CNC drive system.
CNC高精度鋁合金驅動系統，採模組化設計。



The aluminum center transmission shaft has more direct power output and enhances the transmitting efficiency.
鋁合金中央傳動軸，輸出動力更加直接，大大提升傳遞效率。



Drive system with Front aluminum one way / Rear aluminum spool.
驅動系統採用，前-鋁合金單向 / 後-鋁合金直軸。

purple 紫　purple 紅　purple 銀

WHEELBASE : STANDARD 257mm (adjustable255-259mm)
WIDTH : STANDARD 190mm
CS RATIO : 1:1.32
CASTER : Variable 12 degrees
CAMBER : 0 to -12 degrees

Please make the objects as the standard.
商品內容依實際包裝為主。



Aluminum suspension mount is matched with HT suspension system for excellent controlling.
鋁合金擺臂座搭配HT懸吊，追求完美操控。



Heat-sink designed aluminum motor mount.
散熱式設計鋁合金馬達座。



MOTOR BACKWARD INSTALLATION
馬達反裝

ANTI-TORQUE

FREELY CHANGEABLE MOTOR DIRECTIONS
自由變換馬達左右方向



MOTOR FORWARD INSTALLATION
馬達正裝

OPTION PARTS 改裝品

◄ ALL ►
is applicable to
MS-01D RTR/ MS-01D PRO/
MS-01D VIP/ FS-01D/
XXX/ FXX/ FSX/ RMX/ RRX

適用 MS-01D RTR/ MS-01D PRO/
MS-01D VIP/ FS-01D/ XXX/ FXX/
FSX/ RMX/ RRX

R Red 紅
P Purple 紫
S Silver 銀
BK Black 黑
B Blue 藍
DB Dark Blue 深藍

UPGRADE OPTIONS 改裝套件

Full option parts let players to upgrade car according to their necessary and enjoy the fun in upgrading.

豐富完整的升級套件，讓玩家充分享受改裝及升級的樂趣。

210508R P S BK



FSX Alum. bumper support (red)
FSX 鋁合金防撞板 (紅)

210481R P S



FSX Alum. spur gear holder (red)
FSX 鋁合金大齒盤座 (紅)

210238



Alum. propeller shaft joint (2)
鋁合金中軸接杯 (2)

210404



FXX-D S Ball connector set
FXX-D S 全車高順暢球頭組

210160



Ball connector 5.8X6 (4)
球頭螺絲 5.8X6 (4)

310050



Ball connector 4.8X6 (5)
內六角公球頭 4.8X6 (5)

210413R P S



Alum. servo mount (red)
鋁合金伺服機座 (紅)

210409R P S



FXX Alum. great angle steering arm set (red)
鋁合金大角度轉向搖臂組 (紅)

210389



FXX Carbon lower deck 2.5
FXX 碳纖維底盤 2.5

210346R P S



FXX Alum. steering post mount (red)
FXX 鋁合金轉向支柱調整座 (紅)

210345



FXX Alum. steering post
FXX 鋁合金轉向支柱

210222R P S BK B



Alum. vertical low profile servo mount (red)
鋁合金立式短型伺服機座 (紅)

210506



FSX Carbon upper deck 3.5
FSX 碳纖維二樓板 3.5

210403R P S



FXX Alum. strengthen post (red) (2)
FXX 鋁合金補強柱 (紅) (2)

210341R P S



FXX Alum. bearing holder (red)
FXX 鋁合金二樓板培林架 (紅)

210448



Steel idler gear M0.6 25T (2)
鋼製惰輪 M0.6 25T (2)

TOP CHOICE 極致精選

210496R P S



FXX / FSX Alum. steering rail (red)
FXX/FSX 鋁合金滑軌 (紅)

210484R P S



Alum. lateral motor bulkhead set (red)
鋁合金橫置馬達側板組 (紅)

210494R P S



Alum. lateral motor transfer mount set (red)
鋁合金橫置馬達分動座組 (紅)

210288



XXX Reinforced bevel diff. assembly
XXX 強化式傘齒總成組

210221R P S BK B



XXX Alum. one way unit (RM) (red)
XXX 鋁合金前單組 (後置) (紅)

210223R P S BK B



XXX Alum. spool unit (red)
XXX 鋁合金直軸組 (紅)

210362



Metal bevel gear set 32-18
金屬傘齒組 32-18

210025



Bevel gear set 40-16
傘齒組 40-16

210475BK



FSX Alum. quick-release drive gear shaft (black)
FSX 鋁合金驅動齒軸(快拆) (黑)

210036



Bevel gear set 42-11
傘齒組 42-11

210035



Bevel gear set 40-13
傘齒組 40-13

210069



Lightweight bevel gear set 34-18
輕量化傘齒組 34-18

210034



Bevel gear set 36-17
傘齒組 36-17

820058R P S BK B



Adjustable alum. suspension mount (+1.5~+3.0) (red)
可調式鋁合金擺臂座 (+1.5~+3.0) (紅)

820057R P S BK B



Adjustable alum. suspension mount (-0.5~+1.0) (red)
可調式鋁合金擺臂座 (-0.5~+1.0) (紅)

820086R P S BK B



Alum. 8-adjusting servo saver (red)
鋁合金8段調整緩衝組 (紅)

820090



Universal rear balancing diffuser
通用型配重擾流板組

210379



Rear bumper
後防撞板

210282



MST Diffuser
MST 後擾流板

841003



LSD 2.0 S Gyro
LSD 2.0 S 陀螺儀

841002



LSD 2.0 RS Gyro
LSD 2.0 RS 陀螺儀

820056



Steering adjuster set
轉向拉桿組

820081



Adjuster set 5.8 (4)
調整式拉桿頭組 5.8 (4)

210495R P S



Alum. lateral motor bevel gear box (red)
鋁合金橫置馬達傘齒座 (紅)

210477R P S



FXX Alum. quick adj. damper stay (red)
FXX 鋁合金快調式避震架組 (紅)

210384R P S



FXX Alum. rear gear box (red)
FXX 鋁合金後齒箱 (紅)

210511R P S



FSX Alum. receiver mount (red)
FSX 鋁合金接收機座 (紅)

820091



Wheel weighting ring (heavy) (2)
輪框加重環 (重型) (2)

820052



Wheel weighting ring (2)
輪框加重環 (2)

820072



Machined piston 6X0.6 (4)
切削避震活塞 6X0.6 (4)

820071



Machined piston 3X1.0 (4)
切削避震活塞 3X1.0 (4)

820070



Machined piston 3X0.8 (4)
切削避震活塞 3X0.8 (4)

210406R S



FXX-D S Turnbuckle shaft set (red)
FXX-D S 全車可調拉桿組 (紅)

210408



FXX-D S Strengthen lower deck
FXX-D S 強化底盤

210414



FXX-D S Steel CVD universal shaft set
FXX-D S 鋼製CVD傳動軸零件包

210143



Alum. wheel hubs 6mm (brake disc shaped)
鋁合金六角輪座 6mm (煞車碟型)

310049



2WD Axle (2)
二驅輪軸 (2)

820080R P S BK B



Alum. adjustable body post (red) (2)
鋁合金可調式車殼支柱 (紅) (2)

820050R P S BK B



Alum. damper retainer (red) (4)
鋁合金彈簧座 (紅) (4)

820046R P S BK B



Alum. damper retainer (lower type) (4) (red)
鋁合金彈簧座 (降低型) (4) (紅)

820069R P S BK B



Alum. 4 wires clamps (red)
4線鋁合金集線器 (紅)

820068R P S BK B



Alum. 3 wires clamps (red)
3線鋁合金集線器 (紅)

820044R P S BK B



Alum. hex. wheel hubs 4mm (red) (4)
鋁合金六角輪座 4mm (紅) (4)

820029R P S BK B



KPI Alum. upright (red) (2)
KPI 鋁合金輪座 (紅) (2)

210483R P S BK



Alum. HT upper arm C&D (red)
鋁合金 HT 上擺臂 C&D (紅)

210507R P S BK



Alum. HT upper arm A&B (red)
鋁合金 HT 上擺臂 A&B (紅)

120003



Ball bearing 5X8 (4)
培林 5X8 (4)

210353



FXX Alum. ball diff.
FXX 鋁合金滾珠差速器

210492



Alum. wheel hubs 6mm (large brake disc shaped)
鋁合金六角輪座6mm (加大煞車碟型)

210354R P S BK B



HT Alum. rear upright (red) (2)
HT 鋁合金後輪座 (紅) (2)

210416R



FXX/XXX-D S Alum. lower arm mount set (red)
FXX/XXX-D S 全車鋁合金下擺臂座 (紅)

820092



Upright weight 10g
輪座配重塊 10g

820088



MST Balancing weights 30g (4)
MST 配重塊 30g (4)

820087



MST Balancing weights 10g (4)
MST 配重塊 10g (4)

820047



MST Balancing weights 3.5g (4)
MST 配重塊 3.5g (4)

820048R S BK B



Wheel hub spacer 0.5 (red) (4)
輪座墊片 0.5 (紅) (4)

820055



Reinforced damper plastic maintenance set (4)
強化避震膠件包 (4)

820089



Alum. adjustable shock upper end (4)
鋁合金避震器可調上座 (4)

210375



FXX Rear stabilizer set
FXX 後防傾桿組

820063R P S BK B



Suspension mount spacer 0.5mm (4) (red)
擺臂座墊片0.5mm (4) (紅)

210519R P S



FXX Alum. battery block (red)
FXX 鋁合金電池壓塊 (紅)

210377



Hard coil spring set 32mm (8)
硬避震彈簧組 32mm (8)

210373



Coil spring set 32mm (8)
避震彈簧組 32mm (8)

210369



Soft coil spring set 32mm (8)
軟避震彈簧組 32mm (8)

210437



Super soft coil spring set 32mm (8)
超軟避震彈簧組 32mm (8)

210462



Hard coil spring set 31mm (8)
硬避震彈簧組 31mm (8)

210463



Soft coil spring set 31mm (8)
軟避震彈簧組 31mm (8)

210205



DK Coil spring set 30mm
DK避震彈簧組 30mm

210374



Hard coil spring set 29mm (8)
硬避震彈簧組 29mm (8)

210273



Coil spring set 29mm (8)
避震彈簧組 29mm (8)

210351



Soft coil spring set 29mm (8)
軟避震彈簧組 29mm (8)

More details, please refer to MST website. | 更多詳細內容請上官網 rc-mst.com

820064R P S BK B



HT Alum. rear lower arm set (red)
HT 鋁合金後下擺臂組 (紅)

820060R P S BK B



HT Alum. front lower arm set (red)
HT 鋁合金前下擺臂組 (紅)

820093R P S BK DB



AKM Alum. upright (2WD) (red) (2)
AKM鋁合金輪座 (2WD) (紅) (2)

210115R P S BK B



Alum. damper set (red) (4)
鋁合金避震器組 (紅) (4)