MST

max speed technology

[rc-mst.com]

[facebook.com/MST.tw]



RMX-D STANDARD HT
SUSPENSION SYSTEM

RMX-D VIP

1 / 10 SCALE RC 4WD DRIFT CAR

Standard alum. front one way and rear spool axle for transmission ratio 1.35 .

Wide balancing bumper with 30g weight.

Standard rear bumper.

4WD / 2WD

The picture is for reference only, please make the object as the standard.

圖片可能因印刷而有色差，請依實體商品為準。

[facebook.com/MST.tw]
[rc-mst.com]

2WD

RMX-D VIP

1 / 10 SCALE RC 2WD DRIFT CAR

HT suspension system for excellent steering angle!
Battery quick releasing constructions!
Patent design of changing gear ration by pinion gear exchange!



Front gear with MST balancing column 20g.
前齒箱搭配MST配重柱20g


Rear driven with ball differential.
後驅動搭配滾珠差速器



Standard MST professional gyro.
搭配MST高規格陀螺儀



2WD 210451P
RMX 2WD Shaft conversion kit (purple)
RMX 2WD 後軸系統 (紫)

MST
max speed technology

MAX SPEED TECHNOLOGY



Full high quality carbon decks.
全車高規格碳纖維板材，品質一流 。



Steering system design of three-point bearing slide track for linear and smooth control.
轉向系統採培林三點式滑軌設計，可調整滑軌間隙，讓滑軌運作更線性、順暢。




Great stable and high traction HT suspension system with the alum. suspension mount for perfect control.
使用具有極佳穩定性與高抓地力的HT懸吊系統,搭配鋁合金擺臂座追求完美操控 。

RMX-D VIP

WHEELBASE : STANDARD 257mm (adjustable)
WIDTH : STANDARD 190mm (adjustable)
CASTER : 8, 12, 16 degrees variableness
CAMBER : 0 to -12 degrees

purple / black 紫 / 黑
red / black 紅 / 黑
sliver / black 銀 / 黑

Please make the objects as the standard.
產品內容依實際包裝為主。



Unique flip-up ESC mount is convenient to remove battery without disassembling screws.
獨家設計上升式電子變速器座，不用拆卸螺絲即可快速更換電池，增加便利性。



Standard high performance alum. damper set.
配備高規格鋁合金避震器 。



Full high accurate CNC alum. structure.
全車CNC高精度鋁合金結構 。

4WD CS RATIO

FRONT \ REAR	37T/18T [2.06]
36T/13T [2.77]	1 : 1.345
36T/12T [3.0]	1 : 1.456
36T/11T [3.27]	1 : 1.587
37T/12T [3.08]	1 : 1.495
37T/11T [3.36]	1 : 1.631
37T/10T [3.7]	1 : 1.796

RMX-D


FEATURES INTRODUCTION
特點說明

MOTOR FORWARD INSTALLATION
馬達正裝

The unique anti-torque configuration can extend the accelerating motor counteraction to rear for powerful accelerated forces and lateral thrust in acceleration. In deceleration the motor counteraction accelerates vehicle load transference.It is the aggressive configuration!

獨家設計反扭力配置，在加速時利用馬達的反作用力延伸至馬達後方，產生強勁的加速力及橫向推力。減速時利用馬達的反作用力，加快車身的荷重轉移速度。為極具攻擊性的配置！





MOTOR BACKWARD INSTALLATION
馬達反裝


The unique design of motor changeable installing direction can extend the motor counteraction forces to front and stabilize vehicle dynamic when counteraction effects. In deceleration it can slow the vehicle load transference speed and stabilize the rear of vehicle. It is the stable configuration for operation!


獨家設計能自由變換馬達方向。有別於反扭力的配置下，加速時馬達反作用力延伸至馬達前方，能更佳穩定車身動態，減速時更緩和了荷重轉移的速度，增加車尾的安定感。是具穩定操控的配置！

TWO-WAY MOTOR ASSEMBLE POSITION
自由變換馬達左右方向

Unique design of motor being changeable for left and right directions. The anti-torque position can be changed freely for different environments.

業界唯一設計能將馬達自由左右變換方向，可依場地設定反扭力位置自由調整變換。





VERTICAL UPPER ARM DESIGN
立式二樓板設計

Two vertical 3.5mm upper decks for torque position and strength adjusting.

採兩片立式3.5mm二樓板設計。可做扭點位置調整，剛性強度調整。

PROFESSIONAL ALUMINUM COIL SPRING SET
高規格鋁合金避震器

Professional damper set with shaft by special chemical nickel process. It has the features of high smooth, high wear resistance and high corrosion resistance.

高規格鋁合金避震器,軸心使用特殊化學鎳處理具有高度順暢,耐磨耗,耐腐蝕等特點…



GREAT ANGLE FRONT STEERING
大角度的前輪轉向

The fantastic steering and Ackermann angle design for stable dynamic when vertical steers into the bend in high speed.

超大轉向切角與可自由調整的阿克曼角，讓車子高速入彎時更能抓住車尾穩定動態。





STEERING RAIL SYSTEM
轉向滑軌系統

Front and rear bearing holes by precisely CNC once machining, it makes smoother drive, accurate slide and be more durable.
The Ackermann degree can be adjusted by spacer freely. Adjustable rail space.

前後培林導槽以CNC一次性加工完成，使滑軌傳動更加精準、順暢。
可利用墊片方式自由自在調整阿克曼角。
滑軌可做間隙調整。

ADJUSTABLE BATTERY MOUNT
可調整電池座

Battery mount is available to both long and short batteries to change the center gravity position.

電池座可自由變換長電池座與短電池座，進而調整電池重心位置。



※Please purchase extra 210449P for short battery mount.
短電池座需另購210449P。

OPTION PARTS 改裝品

◄ ALL ►
is applicable to
MS-01D RTR/ MS-01D PRO/
MS-01D VIP/ FS-01D/
XXX/ FXX/ FSX/ RMX/ RRX

適用 MS-01D RTR/ MS-01D PRO/
MS-01D VIP/ FS-01D/ XXX/ FXX/
FSX/ RMX/ RRX

R Red 紅
P Purple 紫
S Silver 銀
BK Black 黑
B Blue 藍
DB Dark Blue 深藍

UPGRADE OPTIONS 改裝套件

Full option parts let players to upgrade car according to their necessary and enjoy the fun in upgrading.

豐富完整的升級套件，讓玩家充分享受改裝及升級的樂趣。

820086P R S BK B



Alum. 8-adjusting servo saver (purple)
鋁合金8段調整緩衝組 (紫)

820052



Wheel weighting ring (2)
輪框加重環 (2)

820091



Wheel weighting ring (heavy) (2)
輪框加重環 (重型) (2)

820072



Machined piston 6X0.6 (4)
切削避震活塞 6X0.6 (4)

820071



Machined piston 3X1.0 (4)
切削避震活塞 3X1.0 (4)

820070



Machined piston 3X0.8 (4)
切削避震活塞 3X0.8 (4)

210448



Steel idler gear M0.6 25T (2)
鋼製惰輪 M0.6 25T (2)

310050



Ball connector 4.8X6 (5)
內六角公球頭 4.8X6 (5)

210160



Ball connector 5.8X6 (4)
球頭螺絲 5.8X6 (4)

TOP CHOICE 極致精選

210486P R S



RMX Alum. quick adj. damper stay (purple)
RMX 鋁合金快調式避震架組 (紫)

820093P R S BK DB



AKM Alum. upright (2WD) (purple) (2)
AKM鋁合金輪座 (2WD) (紫) (2)

820090



Universal rear balancing diffuser
通用型配重擾流板組

820092



Upright weight 10g
輪座配重塊 10g

820087



MST Balancing weights 10g (4)
MST 配重塊 10g (4)

820088



MST Balancing weights 30g (4)
MST 配重塊 30g (4)

841002



LSD 2.0 RS Gyro
LSD 2.0 RS 陀螺儀

210460



Carbon pulley plate
碳纖維皮帶輪壓板

820047



MST Balancing weights 3.5g (4)
MST 配重塊 3.5g (4)

820089



Alum. adjustable shock upper end (4)
鋁合金避震器可調上座 (4)

820050P R S BK B



Alum. damper retainer (purple) (4)
鋁合金彈簧座 (紫) (4)

820046P R S BK B



Alum. damper retainer (lower type) (4) (purple)
鋁合金彈簧座 (降低型) (4) (紫)

820063P R S BK B



Suspension mount spacer 0.5mm (4) (purple)
擺臂座墊片0.5mm (4) (紫)

210525P R S



RMX Alum. upper motor mount (purple)
RMX 鋁合金上置馬達座 (紫)

210354P R S BK B



HT Alum. rear upright (purple) (2)
HT 鋁合金後輪座 (紫) (2)

820060P R S BK B



HT Alum. front lower arm set (purple)
HT 鋁合金前下擺臂組 (紫)

820064P R S BK B



HT Alum. rear lower arm set (purple)
HT 鋁合金後下擺臂組 (紫)

820080P R S BK B



Alum. adjustable body post (purple) (2)
鋁合金可調式車殼支柱 (紫) (2)

820029P R S BK B



KPI Alum. upright (purple) (2)
KPI鋁合金輪座 (紫) (2)

820058P R S BK B



Adjustable alum. suspension mount (+1.5~+3.0) (purple)
可調式鋁合金懸臂座 (+1.5~+3.0) (紫)

820057P R S BK B



Adjustable alum. suspension mount (-0.5~+1.0) (purple)
可調式鋁合金懸臂座 (-0.5~+1.0) (紫)

210480P R S



RMX Alum. rail frame (purple)
RMX 鋁合金滑軌架 (紫)

210461P R S



RMX Alum. spur gear cover (purple)
RMX 鋁合金齒盤壓板 (紫)

210483P R S BK



Alum. HT upper arm C&D (purple)
鋁合金 HT 上懸臂 C&D (紫)

210507P R S BK



Alum. HT upper arm A&B (purple)
鋁合金 HT 上懸臂 A&B (紫)

210436P R S



RMX Alum. solid axle set (purple)
RMX 鋁合金直軸組 (紫)

210449P R S



RMX Short battery holder set (purple)
RMX 短電池座組 (紫)

210432P R S



RMX Alum. strengthen post (purple) (2)
RMX 鋁合金補強柱 (紫) (2)

210400P R S BK B



Alum. bumper support L (purple)
鋁合金防撞板上蓋 L (紫)

210452P R S



RMX 4WD Shaft conversion kit (purple)
RMX 4WD 後軸系統 (紫)

210445P R S



RMX-D 2WD kit (purple)
RMX-D 2WD 套件 (紫)

210493P R S



RMX-D IFS Alum. IFS conversion set (purple)
RMX-D IFS 鋁合金套件 (紫)

310049



2WD Axle (2)
二驅輪軸 (2)

210211



Alum. pulley 18T
鋁合金皮帶輪 18T

210210



Alum. pulley 13T
鋁合金皮帶輪 13T

210209



Alum. pulley 12T
鋁合金皮帶輪 12T

210208



Alum. pulley 11T
鋁合金皮帶輪 11T

210207



Alum. pulley 10T
鋁合金皮帶輪 10T

MS-01D | FS-01D | RMX

210143



Alum. wheel hubs 6mm
(brake disc shaped)
鋁合金六角輪座 6mm (煞車碟型)

210453



RMX Rear stabilizer set
RMX 後防傾桿組

210462



Hard coil spring set 31mm (8)
硬避震彈簧組 31mm (8)

210463



Soft coil spring set 31mm (8)
軟避震彈簧組 31mm (8)

210369



Soft coil spring set 32mm (8)
軟避震彈簧組 32mm (8)

210373



Coil spring set 32mm (8)
避震彈簧組 32mm (8)

210377



Hard coil spring set 32mm (8)
硬避震彈簧組 32mm (8)

210437



Super soft coil spring set 32mm (8)
超軟避震彈簧組 32mm (8)

More details, please refer to MST website. | 更多詳細內容請上官網 rc-mst.com

210518P R S



RMX/RRX Alum. curved steering rail
(purple)
RMX/RRX 鋁合金弧形轉向滑軌 (紫)

210492



Alum. wheel hubs 6mm
(large brake disc shaped)
鋁合金六角輪座6mm (加大煞車碟型)

210431



RMX Alum. ball diff. set
RMX 鋁合金滾差組